

Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dehyton® KE-AS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Care Chemicals

Telephone: +49 211 7940-2222

E-mail address: emc-ehs-masterdata@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 1 Aquatic Chronic 3

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

H318, H412

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear eye/face protection.

P273 Avoid release to the environment.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

Not applicable

3.2. Mixtures

Chemical nature

Aqueous solution based on: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts

Content (W/W): >= 30 % - < 40 % CAS Number: 147170-44-3 REACH registration number: 01Eye Dam./Irrit. 1 Aquatic Chronic 3 H318, H412

2119489410-39

Specific concentration limit: Eye Dam./Irrit. 1: > 10 % Eye Dam./Irrit. 2: > 4 - 10 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

If adverse health effects develop seek medical attention.

If inhaled:

not relevant.

On skin contact:

After contact with skin, wash immediately with plenty of water.

On contact with eyes:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, foam

5.2. Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Control of exposure and risk management measures

Emission factor air: 0.02 % Emission factor water: 0.01 % Emission factor soil: 0 %

Exposure estimate and reference to its source

Assessment method: EASY TRA v2.0, ECETOC TRA v2.0 Environment

Maximum amount of safe use: 1,610.7 kg/d

Remarks: Risk from environmental exposure is driven by freshwater

sediment., Data refer to the lead substance

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Store protected against freezing.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

7647-14-5: Sodium chloride

PNEC

Data refer to the dissolved main component

Components with PNEC

147170-44-3: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts

freshwater: 0.0135 mg/l marine water: 0.00135 mg/l sediment (freshwater): 1 mg/kg sediment (marine water): 0.1 mg/kg

soil: 0.8 mg/kg STP: 3000 mg/l

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

DNEL

Data refer to the dissolved main component

Components with DNEL

147170-44-3: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts

worker: Long-term exposure- systemic effects, dermal: 12.5 mg/kg worker: Long-term exposure- systemic effects, Inhalation: 44 mg/m3 consumer: Long-term exposure- systemic effects, dermal: 7.5 mg/kg consumer: Long-term exposure- systemic effects, oral: 7.5 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable are protective gloves with the following specification. The recommendation is valid for laboratory conditions, specific workplace conditions must be taken into consideration separately. Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): nitrile rubber (NBR) - 0.2 mm coating thickness

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

Do not discharge product into the environment without control.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid
Colour: light yellow
Odour: odourless

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

Odour threshold:

not applicable

pH value: 4 - 6

(20 °C)

Flash point: > 101 °C

Aqueous preparation

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: not flammable

Flammability of Aerosol Products:

not applicable, the product does not

form flammable aerosoles

Lower explosion limit:

For liquids not relevant for classification and labelling.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature:

not determined

Vapour pressure:

not determined

Density: 1.05 - 1.07 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: soluble

Solubility (qualitative) solvent(s): distilled water

readily soluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Self ignition: not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not determined

Viscosity, kinematic:

not determined

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section. No further information available.

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

None if used for intended purpose.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 (oral): > 5,000 mg/kg

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes.

Not irritating to the skin.

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

No data was available concerning toxicity to development.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

Toxicity to fish: LC50 > 1 - 10 mg/l

Microorganisms/Effect on activated sludge:

EC0 > 100 mg/l

Chronic toxicity to fish:

No observed effect concentration > 0.1 - 1 mg/l

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The organic component of the product is biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: No data available.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: not applicable

12.5. Results of PBT and vPvB assessment

According to Annex XIV of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

SECTION 14: Transport Information

Land transport

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

ADR

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Date / Revised: 18.10.2018 Version: 3.0

Product: Dehyton® KE-AS

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

Date / Revised: 18.10.2018 Version: 3.0

Product: **Dehyton® KE-AS**

(ID no. 30635007/SDS_GEN_EU/EN)

Date of print 19.10.2018

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Eye Dam./Irrit. Serious eye damage/eye irritation

Aguatic Chronic Hazardous to the aguatic environment - chronic

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.